NOTE: FLOAT GAUGE IS AN OPPTIONAL ADDER. NOT INCLUDED IN STANDARD USED - OIL & ANTI - FREEZE ASSEMBLIES. **MOLDED-IN** THREADS-(11)(2)

PART NUMBER 240 GALLON GEMINI² YELLOW/BLACK LPE SD (1.5) 01-36330

ALTERNATE CONFIGURATION TO MEET NSF/ANSI STANDARD 61 AVAILABLE

	TOP LEVEL ASSEMBLY		
ITEM NO.	DESCRIPTION	QTY.	
1	240G GEMINI², PRIMARY TANK	1	
2	240G GEMINI ² , SECONDARY TANK	1	
3	Ø1" MPT PLUG, PE, BLACK	1	С
4	RED CAPLUG / O-RING SUB-ASSY	2	
5	Ø 16" ID (18" OD) VENTED TWIST LID ASSEMBLY	1	
6	Ø2" FNPT SPIN WELD FITTING, PE	1	
7	1 1/2" CAPLUG WITH GROMMET	1	-
8	1-1/2" CAPLUG, LLDPE, BLACK	1	
9	FLOAT GAUGE ASSEMBLY, MODEL D-2-41	1	
10	2" QCA AND FILL LINE W/ DIP TUBE	1	
11	STENCIL	1	В
12	Ø8" SEDIMENT SCREEN	1	

NOTES:

D

1. CAPACITY: 240 GAL. NOMINAL

TANK MATERIAL: LPE W/ UV INHIBITOR GASKETS: EPDM

ISOMETRIC VIEW ASSEMBLED

SERVICE PRESSURE: ATMOSPHERIC

ISOMETRIC VIEW EXPLODED

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PEABODY ENGINEERING. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF PEABODY ENGINEERING IS PROHIBITED.

INLESS OTHERWISE SPECIFIED:		NAME	DATE	PEABOD		v	
DIMENSIONS ARE IN INCHES TOLERANCES: ±1/4"	DRAWN	10	6/19/25		019 10201		
ANGULAR: ± .5° ONE PLACE DECIMAL ± .3"	CHECKED			PROJECT: GEMINI ² DUAL CONTAINMENT TANKS			
TWO PLACE DECIMAL ± .13" THREE PLACE DECIMAL ± .063"	ENG APPR.			CUSTOMER: PEABODY STANDARD			
ANK MATERIAL: LPE	MFG APPR.			SITE/LOC	ATION:		
NER TANK S/N:	Q.A.			DRAWINGS#:			
	ALTERNATIVE VERSIONS			SEE TABLE			
UTER TANK S/N:	MATERIALS: XLPE, PPL, PVDF COLORD: NATURAL. BLUE OR BLACK		SIZE	DESC.	REV.		
LIGTOL LED DO !!	COLORD. NAIN	COLORD. HATCKAL, BLOL OR BLACK			240 CALLONIZ CENNINI TANIK		

CUSTOMER PO# **AVAILABLE WITH FRP WRAP** CALL FOR PART NUMBERS DO NOT SCALE DRAWING

	Coordina	··· P	EABODY STAN	DARD	
	SITE/LOC	ATION:	-		
	DRAWING	3S#:	SEE TABLE	•	
ĸ	SIZE	DESC.			REV.
N.	В	240 G	-		
SCALE: 1:20			LAST SAVED: Thursday, June 19, 2025 1:27:45 PM	SHEET	1 OF 3



