

Safety Data Sheet

Issue Date: 05-Sep-2020 Revision Date: 09-Sep-2020 Version 1

1. IDENTIFICATION

Product identifier

Product Name 0980 RD3000 Self Leveling Concrete Sealant

Other means of identification

SDS # RD-0216

Recommended use of the chemical and restrictions on use

Recommended Use Sealant.

Details of the supplier of the safety data sheet

Supplier Address

Red Devil, Inc. 4175 Webb Street Pryor, Oklahoma 74361 www.reddevil.com

Emergency telephone number

Company Phone Number 918-825-5744

Fax: 918-825-5761

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Grey paste Physical state Solid

Classification

This SDS was created using the criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and is compliant with the Globally Harmonized System of Labeling and Classification of Chemicals (GHS).

Skin sensitization Category 1

Signal Word Warning

Hazard statements

May cause an allergic skin reaction



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace
Wear protective gloves

·

Revision Date: 09-Sep-2020

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of water and soap Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Please also refer to subsequent sections of this SDS for additional information regarding the components of this product.

Chemical name	CAS No	Weight-%
Ground Limestone	1317-65-3	50-60
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	<1.0
Crystalline silica	14808-60-7	>0.1
N, N-Bis-(3-(trimethoxysilyl) propyl)-1,	68845-16-9	<1.0
2-ethanediamine		

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do not induce vomiting, unless directed by medical personnel. Never give

anything by mouth to an unconscious person. Drink 1 or 2 glasses of water. Get medical

attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged or repeated skin contact may result in dermatitis (red, dry skin). Direct contact

with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness and discomfort. Irritating to mouth, throat, and stomach if ingested. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Overexposure to vapors during application and curing may mildly irritate respiratory tract and result in coughing and

sneezing. May cause an allergic skin reaction.

^{*} Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). (Crystalline Silica) Inhalation of particulates unlikely due to product's physical state. Crystalline Silica (as Quartz) present @ low levels in Calcium Carbonate filler.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Provide general supportive measures and treat symptomatically. May aggravate

pre-existing skin disorders.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Use carbon dioxide (CO2), dry chemical or water spray.

Large Fire Dry chemical, Use foam or water spray.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous combustion products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For Emergency Responders Restrict access to spill area.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use absorbent material to contain spill.

Methods for Clean-UpReclaim where possible. Sweep up absorbed material and shovel into suitable containers for disposal. Wash area with soap and water. For waste disposal, see section 13 of the

SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Contaminated work clothing must not be allowed out of the workplace. Wash face, hands and any exposed skin thoroughly after handling. Avoid

breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container closed & store in a cool, well-ventilated area. Avoid contact w/ water or

moisture. Keep container from excessive heat & freezing. Store away from incompatible

materials.

Incompatible Materials

Strong oxidizing agents. Acids. Bases. Combustible material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ground Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	-
		(vacated) TWA: 15 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Crystalline silica	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	excludes construction work,	TWA: 0.05 mg/m ³ respirable
		agricultural operations, and	dust
		exposures that result from the	
		processing of sorptive clays	
		(vacated) TWA: 0.1 mg/m ³	
		respirable dust	
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA	
		respirable fraction	

Other Information

Delayed Hazards: Calcium Carbonate filler (1317-65-3) can cause lung damage. If product sanded, appropriate respirator should be worn to avoid breathing dust. Pre-existing respiratory disorders may be aggravated by exposure. Trace levels of Silica, Crystalline (14808-60-7) (as Quartz) is present in Calcium Carbonate filler. This material can cause cancer. If sanded, this material may generate silica dust. Inhaled silica has been classified by IARC as a human carcinogen. If product sanded, appropriate respirator should be worn to avoid breathing dust. Pre-existing respiratory disorders may be aggravated by exposure.

Appropriate engineering controls

Engineering Controls

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.

Individual protection measures, such as personal protective equipment

Use approved safety goggles or safety glasses. If necessary, refer to appropriate **Eye/Face Protection**

regulations and standards. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide **Skin and Body Protection**

to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

Respiratory Protection If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearanceGrey pasteOdorNot determinedColorGreyOdor ThresholdNot determined

Property Note: The information below is not Remarks • Method

intended for use in preparing

product specifications

pH Not determined
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
Not determined
Not determined
Not determined
Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure Not determined

Vapor Density 1.5

Relative Density Not determined **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined Not determined **Decomposition temperature** Kinematic viscosity 50,000 cps **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Incompatible Materials. Excessive heat or cold.

Incompatible materials

Strong oxidizing agents. Acids. Bases. Combustible material.

Hazardous decomposition products

Carbon oxides, Calcium oxides,

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact May cause temporary irritation on eye contact.

Skin Contact May cause an allergic skin reaction. Prolonged and frequent contact may cause redness

and irritation.

Inhalation May cause irritation if inhaled.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Vinyltrimethoxysilane	= 7340 μL/kg (Rat)	= 3360 µL/kg (Rabbit)	-	
2768-02-7				
N-(3-(Trimethoxysilyl)propyl)ethylen	= 2413 mg/kg (Rat) = 7460 μ L/kg	-	-	
ediamine	(Rat)			
1760-24-3	·			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Silica (quartz) is a possible carcinogen when it appears as a respirable dust. Silica,

crystalline present in small amount in Calcium Carbonate filler: Known carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Crystalline silica	A2	Group 1	Known	X
14808-60-7				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

Dermal LD50 78,439.91 mg/kg ATEmix (inhalation-dust/mist) 35.10 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Vinyltrimethoxysilane		191: 96 h Oncorhynchus mykiss	
2768-02-7		mg/L LC50 not specified	

Persistence/Degradability

Not determined.

Bioaccumulation

This material is not expected to significantly bioaccumulate.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of Wastes**

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Please see current shipping paper for most up to date shipping information, including Note

exemptions and special circumstances.

DOT Not regulated

Not regulated IATA

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Ground Limestone	Χ	ACTIVE	X	X	Χ	X	Χ	X	X
Vinyltrimethoxysilane	X	ACTIVE	X	X	X	X	X	X	X
N-(3-(Trimethoxysilyl)propyl)	Х	ACTIVE	Х	X	Χ	X	X	Х	X
ethylenediamine									
Crystalline silica	X	ACTIVE	X	X	X	X	X	X	X
N, N-Bis-(3-(trimethoxysilyl)		ACTIVE	Х	X	Χ	X		Х	X
propyl)-1, 2-ethanediamine									

Legend:

- United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Crystalline silica - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ground Limestone 1317-65-3	X	X	X
Crystalline silica 14808-60-7	X	X	X

16. OTHER INFORMATION

Health Hazards NFPA

Not determined **Health Hazards** Not determined

Flammability Not determined **Flammability** Not determined Instability Not determined Physical hazards Not determined

Special Hazards Not determined **Personal Protection** Not determined

Issue Date: 05-Sep-2020 09-Sep-2020 **Revision Date:** New product **Revision Note:**

Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet