



Safety Data Sheet - Gorilla Hot Glue

Date Revised: 10/8/2015
Date Issued: 10/08/2015

Version: 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: IDENTIFICATION

Product Identifier

Product Name: Gorilla Hot Glue

Synonyms: Hot Melt Glue, Glue Sticks

Intended Use of the Product

Intended to be used with a Hot Glue gun for craft, repair, hobby or DIY (Do It Yourself) projects.

Name, Address, and Telephone of the Responsible Party

Company

The Gorilla Glue Company
4550 Red Bank Expressway
Cincinnati, Ohio 45227
513-271-3300

www.gorillatough.com

Emergency Telephone Number

Emergency number : 1-800-420-7186 (Prosar) -

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US) Not Classified

Label Elements

GHS-US Labeling No labeling applicable

Other Hazards

Other Hazards: Not available

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

The ingredients within the mixture are not classified as hazardous and are not required to be disclosed in accordance with the US 2012 Hazard Communication Standard and the Canadian Controlled Products Regulations.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible). -

Inhalation: Non-molten glue is not expected to have any adverse effect. If molten glue is inhaled, remove to fresh air and keep at rest - in a position comfortable for breathing. If you feel unwell, seek medical advice. -

Skin Contact: Non-molten glue is not expected to have any adverse effect. If molten glues contacts skin, cool under running water. - Do not remove solidified product. Call a POISON CENTER or doctor/physician if you feel unwell. Remove contaminated clothing and - wash before reuse. -

Eye Contact: Non-molten glue is not expected to have any adverse effect. If molten glue contacts the eye, rinse cautiously with water - for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention immediately. -

Ingestion: Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician. -

Most Important Symptoms and Effects Both Acute and Delayed

General: None expected under normal conditions of use. Prolonged contact may cause irritation. -

Inhalation: None expected under normal conditions of use. -

Skin Contact Repeated or prolonged skin contact may cause irritation. -

Eye Contact: Contact may cause irritation. -

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.



Safety Data Sheet - Gorilla Hot Glue

Date Revised: 10/08/2015
Date Issued: 10/08/2015

Version: 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire. -

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire or scatter molten - product. -

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable. -

Explosion Hazard: Product is not explosive. -

Reactivity: None known. -

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. -

Firefighting Instructions: Do not allow run-off from fire fighting to enter drains or water courses. -

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. -

Hazardous Combustion Products: None known. -

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for Cleaning Up: Dispose of waste safely and in accordance with local, state, territorial, provincial, federal and international regulations.

Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Store away from heat. -

Incompatible Materials: None known. -

Specific End Use(s) Hot Glue Melt. -

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

There are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.



Safety Data Sheet - Gorilla Hot Glue

Date Revised: 10/08/2015
Date Issued: 10/08/2015

Version: 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Safety glasses. Gloves.



Materials for Protective Clothing: Not available. -

Hand Protection: Chemically resistant gloves are recommended, but not required. -

Eye Protection: Chemical goggles or safety glasses. -

Skin and Body Protection: Wear suitable protective clothing. -

Respiratory Protection: Not required for normal conditions of use. Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits. -

Other Information: When using, do not eat, drink or smoke. -

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Clear
Odor	: None
Odor Threshold	: Not available
pH	: Not available
Relative Evaporation Rate (butylacetate=1)	: Not available
Melting/Freezing Point	: Not available
Boiling Point	: Not available
Softening Point	: 88 °C (190 °F)
Flash Point	: >232 °C (> 450 °F)
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Upper and Lower Flammable Limits	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20 °C	: Not available
Specific Gravity/Relative Density	: 0.918 – 0.960 g/cm ³ @ 20 °C (68 °F)
Solubility	: Non soluble
Partition coefficient: n-octanol/water	: Not available
Viscosity, Dynamic	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.



Safety Data Sheet - Gorilla Hot Glue

Date Revised: 10/08/2015
Date Issued: 10/08/2015

Version: 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known. -

Chemical Stability: Stable under recommended handling and storage conditions (see section 7). -

Possibility of Hazardous Reactions: Hazardous polymerization will not occur. -

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. -

Incompatible Materials: May react with strong acids, bases or oxidizing agents. -

Hazardous Decomposition Products: Carbon oxides and/or low molecular weight hydrocarbons. -

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

pH: Not available

Serious Eye Damage/Irritation: Not classified

pH: Not available

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: None expected under normal conditions of use.

Symptoms/Injuries After Skin Contact: Repeated or prolonged skin contact may cause irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects. -

Chronic Symptoms: Not applicable -

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data: Not available -

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not available

Persistence and Degradability Not available

Bioaccumulative Potential Not available

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: Do not dispose of waste into sewer. -

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial - and international regulations. -

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOT Not regulated for transport

In Accordance with IMDG Not regulated for transport

In Accordance with IATA Not regulated for transport

In Accordance with TDG Not regulated for transport



Safety Data Sheet - Gorilla Hot Glue

Date Revised: 10/08/2015
Date Issued: 10/08/2015

Version: 1.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

The components of this product are listed in the TSCA Inventory.

US State Regulations

Neither this product nor its chemical components appear on any US state lists.

Canadian Regulations

The components of this product are on the DSL Inventory or are exempt from listing.

Gorilla Hot Glue

WHMIS Classification	This is not a controlled product under WHMIS.
----------------------	---

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 10/08/15

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document

The Gorilla Glue Company
+1 513-271-3300

The information presented in this Safety Data Sheet was prepared by qualified personnel and to the best of our knowledge is true and accurate. The information and recommendations are furnished for this product with the understanding that the purchaser will independently determine the suitability of the product for this purpose. This data does not constitute a warranty, expressed or implied, statutory or otherwise, nor is it representation for which The Gorilla Glue Company assumes legal responsibility. The data is submitted for the user's information and consideration only. Any use of this product must be determined by the user to be in accordance with applicable federal, state, provincial and local laws and regulations.

North America GHS US 2012 & WHMIS