

43401

SC-125

Safety Data Sheet

Issue Date: 15-May-2012

Revision Date: 03-Dec-2014

Version 1

1. IDENTIFICATION

Product Identifier

Product Name SC 125

Other means of identification

SDS # CIP-009

UN/ID No UN1593

Recommended use of the chemical and restrictions on use

Recommended Use Adhesive.

Details of the supplier of the safety data sheet

Supplier Address

Caseway Industrial Products, Inc.
3487 Highland Drive
Bay City, MI 48706
Ph: 989-391-9992
Fax: 989-391-9994

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America) Contract # 106140
Contact manufacturer for all non-emergency calls

2. HAZARD IDENTIFICATION

Appearance Clear colorless liquid

Physical State Liquid

Odor Ether-like

Classification

| | |
|--|-------------|
| Acute toxicity - Oral | Category 4 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Hazards Not Otherwise Classified (HNOC)


May be harmful if inhaled
May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause cancer
May cause respiratory irritation. May cause drowsiness or dizziness
May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear eye/face protection
 Do not breathe dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Get medical attention
 IF ON SKIN: Wash with plenty of soap and water
 Take off contaminated clothing and wash it before reuse
 If skin irritation occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Rinse mouth

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------|---------|----------|
| Dichloromethane | 75-09-2 | 60-100 |

****If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.****

4. FIRST AID MEASURES
First Aid Measures

| | |
|-----------------------|---|
| General Advice | Provide this SDS to medical personnel for treatment. |
| Eye Contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. |

| | |
|-------------------|---|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately. |
| Ingestion | Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Get medical attention immediately. |

Most important symptoms and effects

| | |
|-----------------|---|
| Symptoms | Overexposure by inhalation may cause CNS depression- drowsiness, dizziness, confusion or loss of coordination. May cause skin and eye irritation. Will cause gastrointestinal tract irritation. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

7. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water fog or fine spray, carbon dioxide, dry chemical, foam.

Unsuitable Extinguishing Media Water jet.

Specific Hazards Arising from the Chemical

Vapor concentrated in a confined or poorly ventilated area can be ignited upon contact with a high energy spark, flame, or high intensity heat source.

Hazardous Combustion Products Hydrogen chloride, trace amounts of phosgene, chlorine, and carbon monoxide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

8. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

| | |
|----------------------------------|---|
| Personal Precautions | Wear protective clothing as described in Section 8 of this safety data sheet. Remove all sources of ignition. The wet contaminated surface may be slippery. |
| Environmental Precautions | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See Section 12 for additional Ecological information. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for Containment | Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite). |
| Methods for Clean-Up | Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS. Wash spill area with a mild detergent. |

Precautions for safe handling**Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear appropriate personal protective equipment. Wash face, hands, and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use only in well-ventilated areas. Keep containers closed when not in use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any Incompatibilities**Storage Conditions**

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Protect from damp. Store away from heat and incompatible materials.

Incompatible Materials

Oxidizing agents. Strong bases. Zinc powders. Aluminum powders. Magnesium powders. Potassium. Sodium.

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------|-------------|---|----------------|
| Dichloromethane 75-09-2 | TWA: 50 ppm | TWA: 25 ppm (vacated) TWA: 500 ppm (vacated) STEL: 2000 ppm 5 min in any 3 h (vacated) Ceiling: 1000 ppm STEL: 125 ppm see 29 CFR 1910.1052 | IDLH: 2300 ppm |

Appropriate engineering controls**Engineering Controls**

Good ventilation is required. Maintain eye wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

Splash goggles or safety glasses.

Skin and Body Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory Protection

Ensure adequate ventilation, especially in confined areas. Use NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists.

General Hygiene Considerations

Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical State
Appearance
Color

Liquid
Clear colorless liquid
Clear Colorless

Odor
Odor Threshold

Ether-like
Not determined

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|------------------------------|------------------|-------------------------|
| pH | Not determined | |
| Melting Point/Freezing Point | Not determined | |
| Boiling Point/Boiling Range | 39.8 °C / 104 °F | |
| Flash Point | Not flammable | |
| Evaporation Rate | Not determined | |
| Flammability (Solid, Gas) | Not determined | |
| Upper Flammability Limits | 22% | |
| Lower Flammability Limit | 14% | |
| Vapor Pressure | 355 mmHg | @ 20°C (68°F) |
| Vapor Density | 2.93 | (Air=1) |
| Specific Gravity | 1.32 | @ 25 °C (77 °F) |
| Water Solubility | 1.3% | @ 25 °C (77 °F) |
| Solubility in other solvents | Not determined | |
| Partition Coefficient | Not determined | |
| Auto-ignition Temperature | 556 °C / 1033 | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | Not determined | |
| Explosive Properties | Not determined | |
| Oxidizing Properties | Not determined | |

PHYSICAL AND CHEMICAL PROPERTIES

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Oxidizing agents. Strong bases. Zinc powders. Aluminum powders. Magnesium powders. Potassium. Sodium.

Hazardous Decomposition Products

None known based on information supplied.

TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Causes serious eye irritation.

Skin Contact

Causes skin irritation.

Inhalation

May be harmful if inhaled. May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion

Ingestion may cause irritation to mucous membranes. May be harmful if swallowed.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------|--------------------|-------------|-------------------------------------|
| Dichloromethane 75-09-2 | > 2000 mg/kg (Rat) | - | = 76000 mg/m ³ (Rat) 4 h |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity May cause cancer.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|----------------------------|-------|----------|------------------------|------|
| Dichloromethane 75-09-2 | A3 | Group 2B | Reasonably Anticipated | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Other Adverse Effects In confined or poorly ventilated areas, vapors can readily accumulate and can cause unconsciousness and death. Excessive exposure may cause irritation to upper respiratory tract (nose and throat). May cause carboxyhemoglobinemia, thereby impairing the blood's ability to transport oxygen. Minimal anesthetic or narcotic effects may be seen in the range of 500-1000 ppm methylene chloride. Higher levels over 1000 ppm can cause dizziness, drunkenness, and as low as 10,000 ppm, unconsciousness and death. These high levels may also cause cardiac arrhythmias (irregular heartbeats).

Numerical measures of toxicity

Not determined

ECOTOXICOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|----------------------------|---|---|---|---|
| Dichloromethane 75-09-2 | 500: 96 h Pseudokirchneriella subcapitata mg/L EC50 500: 72 h Pseudokirchneriella subcapitata mg/L EC50 | 140.8 - 277.8: 96 h Pimephales promelas mg/L LC50 flow-through 262 - 855: 96 h Pimephales promelas mg/L LC50 static 193: 96 h Lepomis macrochirus mg/L LC50 static 193: 96 h Lepomis macrochirus mg/L LC50 flow-through | EC50 = 1 mg/L 24 h EC50 = 2.88 mg/L 15 min | 1532 - 1847: 48 h Daphnia magna mg/L EC50 Static 190: 48 h Daphnia magna mg/L EC50 |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|----------------------------|-----------------------|
| Dichloromethane 75-09-2 | 1.25 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|----------------------------|------|--|------------------------|------------------------|
| Dichloromethane 75-09-2 | U080 | Included in waste streams: F001, F002, F024, F025, F039, K009, K010, K156, K157, K158 | | U080 |

| Chemical Name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|----------------------------|--------------------------------------|------------------------|--|------------------------|
| Dichloromethane 75-09-2 | Category I - Volatiles | | Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. | |

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|----------------------------|-----------------------------------|
| Dichloromethane 75-09-2 | Toxic |

| | |
|-----------------------------------|----|
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|---------------------------|---------|----------|-------------------------------|
| Dichloromethane - 75-09-2 | 75-09-2 | 60-100 | 0.1 |

CWA (Clean Water Act)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Dichloromethane | | X | X | |

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 |
|---------------------------|---------------------------|
| Dichloromethane - 75-09-2 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------|------------|---------------|--------------|
| Dichloromethane 75-09-2 | X | X | X |

ADDITIONAL INFORMATION

| | | | | |
|-------------|-----------------------|---------------------|-------------------------|----------------------------|
| NFPA | Health Hazards | Flammability | Instability | Special Hazards |
| | 2 | 1 | 0 | Not determined |
| HMS | Health Hazards | Flammability | Physical Hazards | Personal Protection |
| | 2 | 1 | 0 | Not determined |

Issue Date: 15-May-2012
Revision Date: 03-Dec-2014
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN1593
 Proper Shipping Name Dichloromethane mixture
 Hazard Class 6.1
 Packing Group III
 Reportable Quantity (RQ) 1000 lbs for Dichloromethane

IATA

UN/ID No UN1593
 Proper Shipping Name Dichloromethane mixture
 Hazard Class 6.1
 Packing Group III

IMDG

UN/ID No UN1593
 Proper Shipping Name Dichloromethane mixture
 Hazard Class 6.1
 Packing Group III

15. REGULATORY INFORMATION

International Inventories

| Chemical Name | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|-----------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Dichloromethane | Present | X | | Present | | Present | X | Present | X | X |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal RegulationsCERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------------------|--------------------------|----------------|---|
| Dichloromethane 75-09-2 | 1000 lb 1 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ |

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
 Chronic Health Hazard Yes

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

PHYSICS 354

PHYSICS 354

PHYSICS 354

PHYSICS 354

PHYSICS 354

PHYSICS 354

PHYSICS 354

PHYSICS 354

